

=> fil hcaplu
FILE 'HCAPLUS' ENTERED AT 10:12:32 ON 04 SEP 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)


Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 4 Sep 2002 VOL 137 ISS 10
FILE LAST UPDATED: 3 Sep 2002 (20020903/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

CAS roles have been modified effective December 16, 2001. Please check your SDI profiles to see if they need to be revised. For information on CAS roles, enter HELP ROLES at an arrow prompt or use the CAS Roles thesaurus (/RL field) in this file.


=> d stat que
L2 STR



NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 17

STEREO ATTRIBUTES: NONE
L4 8231 SEA FILE=REGISTRY SSS FUL L2
L6 STR



G13~O~G14~Hy
21 22 23 24


C 25 N 26

VAR G13=12/13/14/15/16
REP G14=(0-4) C
NODE ATTRIBUTES:
NSPEC IS R AT 25
NSPEC IS R AT 26
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 23

STEREO ATTRIBUTES: NONE
L7 STR

G12·G11·G10
18 19 20



C @25 N @26

VAR G10=1/2/5/6
REP G11=(0-10) C
VAR G12=25/26
NODE ATTRIBUTES:
NSPEC IS R AT 25
NSPEC IS R AT 26
DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 16

STEREO ATTRIBUTES: NONE
L10 55 SEA FILE=REGISTRY SUB=L4 SSS FUL L7 AND L6
L11 5 SEA FILE=HCAPLUS L10



=> d ibib abs hitrn l11 1-5

L11 ANSWER 1 OF 5 HCAPLUS COPYRIGHT 2002 ACS
ACCESSION NUMBER: 2001:935582 HCAPLUS
DOCUMENT NUMBER: 136:69816
TITLE: Preparation of substituted 4-quinazolinamines for the
treatment of abnormal cell growth
INVENTOR(S): Kath, John Charles; Bhattacharya, Samit Kumar; Morris,
Joel
PATENT ASSIGNEE(S): Pfizer Products Inc., USA
SOURCE: PCT Int. Appl., 84 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001098277	A2	20011227	WO 2001-IB1046	20010614
WO 2001098277	A3	20020613		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT,
RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US,
UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,
DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF,
BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG

PRIORITY APPLN. INFO.: US 2000-213136P P 20000622
OTHER SOURCE(S): MARPAT 136:69816
GI



AB The title compds. [I; m = 0-3; p = 0-4; R1, R2 = H, alkyl; R3 = (CR1R2)t(4-10 membered heterocycle); t = 0-5; R4 = piperidin-4-ylethynyl, 3-(morpholin-4-yl)propenyl, 3-substituted-prop-1-ynyl, etc.; R5 = halo, OH, alkyl, etc.; R11 = halo, CN, NO2, etc.] and their pharmaceutically acceptable salts, useful for treating abnormal cell growth in mammals, were prepd. Thus, alkylating 4-ethynylpiperidine-1-carboxylic acid tert-Bu ester with 4-chloro-6-iodoquinazoline followed by reacting the resulting 4-(4-chloroquinazolin-6-ylethynyl)-piperidine-1-carboxylic acid tert Bu ester with 3-methyl-4-(pyridin-3-yloxy)-phenylamine afforded II. The exemplified compds. I have IC50 of < 10 .mu.M against erbB2 kinase.

IT 383430-46-4P 383430-51-1P 383430-55-5P
 383430-62-4P 383430-65-7P 383430-80-6P
 383430-83-9P 383430-84-0P 383430-86-2P
 383430-87-3P 383430-88-4P 383430-92-0P
 383430-97-5P 383430-98-6P 383431-03-6P
 383431-05-8P 383431-06-9P 383431-07-0P
 383431-08-1P 383431-11-6P 383431-13-8P
 383431-19-4P 383431-20-7P 383431-34-3P
 383431-39-8P 383431-40-1P 383431-49-0P
 383431-50-3P 383431-62-7P 383431-63-8P
 383431-68-3P 383431-70-7P 383431-73-0P
 383431-74-1P 383431-89-8P 383431-90-1P
 383432-93-7P 383432-94-8P 383432-96-0P
 383432-99-3P 383433-00-9P 383433-01-0P
 383433-58-7P 383433-66-7P 383434-34-2P
 383434-42-2P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU

(Therapeutic use); BIOL (Biological study); PREP (Preparation); USES
(Uses)
(prepn. of substituted 4-quinazolinamines for the treatment of abnormal
cell growth)

L11 ANSWER 2 OF 5 HCAPLUS COPYRIGHT 2002 ACS

ACCESSION NUMBER: 2000:592396 HCAPLUS

DOCUMENT NUMBER: 133:193157

TITLE: Preparation of aminoquinazolines and related compounds
as anticancer drugs.

INVENTOR(S): Kath, John Charles; Tom, Norma Jacqueline; Cox, Eric
David; Bhattacharya, Samit Kumar

PATENT ASSIGNEE(S): Pfizer Products Inc., USA

SOURCE: Eur. Pat. Appl., 39 pp.

CODEN: EPXXDW


DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1029853	A1	20000823	EP 1999-310574	19991224
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
JP 2000309577	A2	20001107	JP 1999-336570	19991126
JP 3270834	B2	20020402		
BR 9906013	A	20000905	BR 1999-6013	19991229
PRIORITY APPLN. INFO.:			US 1999-117341P	P 19990127
OTHER SOURCE(S):	MARPAT 133:193157			
GI				



AB Title compds. [I; X = N, CH; A = (substituted) fused 5-7 membered ring optionally contg. 1-4 heteroatoms selected from NR1, O, S, SO, SO2 contg. 1-3 double bonds inclusive of the bond in the pyridine or pyrimidine ring to which it is fused etc.; R1 = H, alkyl; R3 = (CR1R2)mR8; m = 0, 1; R1R3N = (substituted) 1-indolinyl, 1-indolyl; R4, R8 = (substituted) aryl(alkyl), heterocyclyl(alkyl)], were prepd. as neoplasm inhibitors (no data). Thus, 3-[4-(4-phenoxy-quinazolin-6-yl)benzyl]-3-aza-bicyclo[3.1.0]hex-6-ylmethanol (prepn. given), 1-cyclopropylmethyl-1H-indol-5-ylamine, pyridinium hydrochloride, and phenol were heated at 110.degree. overnight to give 67% [3-[4-[4-(1-cyclopropylmethyl-1H-indol-5-

ylamino)-quinazolin-6-yl]-benzyl]-3-azabicyclo[3.1.0]hex-6-yl]methanol.
 IT 289037-37-2P 289037-47-4P
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (prepn. of aminoquinazolines and related compds. as anticancer drugs)
 REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L11 ANSWER 3 OF 5 HCAPLUS COPYRIGHT 2002 ACS

ACCESSION NUMBER: 2000:535121 HCAPLUS

DOCUMENT NUMBER: 133:150572

TITLE: Preparation of substituted bicyclic derivatives useful as anticancer agents

INVENTOR(S): Kath, John Charles; Tom, Norma Jacqueline; Liu, Zhengyu; Cox, Eric David; Bhattacharya, Samit Kumar; Morris, Joel

PATENT ASSIGNEE(S): Pfizer Products Inc., USA

SOURCE: PCT Int. Appl., 90 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000044728	A1	20000803	WO 1999-IB1934	19991206
W:	AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
EP 1147093	A1	20011024	EP 1999-956281	19991206
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO			
BR 9916980	A	20011106	BR 1999-16980	19991206
US 6284764	B1	20010904	US 2000-488350	20000120
US 2001034351	A1	20011025	US 2001-834259	20010412
NO 2001003671	A	20010926	NO 2001-3671	20010726
PRIORITY APPLN. INFO.:			US 1999-117346P	P 19990127
			WO 1999-IB1934	W 19991206
			US 2000-488350	A3 20000120

OTHER SOURCE(S): MARPAT 133:150572

GI



AB The title compds. [I; X = N, CH; A = (un)substituted fused 5-7 membered ring optionally contg. 1-4 heteroatoms selected from NR₁, O, S(O)_j (wherein j = 0-2); R₁, R₂ = H, alkyl; R₃ = (CR₁R₂)_mR₈ (m = 0-1; R₈ = (CR₁R₂)_taryl, (CR₁R₂)_theterocyclyl; t = 0-5); R₁ and R₃ are taken together to form (un)substituted indol-1-yl, indolin-1-yl; R₄ = (CR₁R₂)_mC.tplbond.C(CR₁R₂)_tR₉ (m = 0-3; t = 0-5; R₉ = a non-arom. mono-cyclic ring, a fused or bridged bicyclic ring, etc.), C:NOR₁₂ (R₁₂ = H, alkyl, CO₂alkyl, etc.), X₁R₁₂ (X₁ = a divalent group derived from azetidine, oxetane or carbocyclic group), etc.] and their pharmaceutically acceptable salts, useful in treating abnormal cell growth in mammals, were prepd. Thus, treatment of (3-methyl-4-phenoxyphenyl)-(6-piperidin-3-ylethynylquinazolin-4-yl)amine with propionaldehyde in MeOH/H₂O at pH = 5 followed by addn. of NaBH₃CN afforded quinazoline II.HCl. Compds. I are effective at 1-35 mg/kg/day.

IT **287189-48-4P 287189-96-2P 287190-12-9P**

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(prepn. of substituted bicyclic derivs. useful as anticancer agents)

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L11 ANSWER 4 OF 5 HCAPLUS COPYRIGHT 2002 ACS

ACCESSION NUMBER: 1998:71133 HCAPLUS

DOCUMENT NUMBER: 128:140716

TITLE: Preparation of azolylquinazolines and related compounds as protein tyrosine kinase inhibitors.

INVENTOR(S): Cockerill, George Stuart; Carter, Malcolm Clive;

Guntrip, Stephen Barry; Smith, Kathryn Jane

PATENT ASSIGNEE(S): Glaxo Group Limited, UK; Cockerill, George Stuart; Carter, Malcolm Clive; Guntrip, Stephen Barry; Smith, Kathryn Jane

SOURCE: PCT Int. Appl., 119 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent


LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	-----	-----	-----	-----

WO 9802434 A1 19980122 WO 1997-EP3672 19970711
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE,
DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ,
LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL,
PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US,
UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
RW: GH, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, DE, DK, ES, FI, FR,
GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA,
GN, ML, MR, NE, SN, TD, TG
ZA 9706147 A 19990111 ZA 1997-6147 19970710
AU 9737668 A1 19980209 AU 1997-37668 19970711
EP 912559 A1 19990506 EP 1997-934458 19970711
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
IE, FI
JP 2000514806 T2 20001107 JP 1998-505596 19970711
US 6391874 B1 20020521 US 1998-214267 19981231
PRIORITY APPLN. INFO.: GB 1996-14755 A 19960713
GB 1996-25458 A 19961207
WO 1997-EP3672 W 19970711
OTHER SOURCE(S): MARPAT 128:140716
GI




AB Title compds. [I; U = substituted Ph, mono- or bicyclic 5-10 membered (hetero)cyclcyl; X = N, CH; Y = W(CH2), (CH2)W, W; W = O, S(O)m, NRa; Ra = H, alkyl; m = 0-2; R1 = (substituted) Ph, 5- or 6-membered heterocyclcyl contg. 1-4 heteroatoms selected from N, O, S(O)m; with the provision that the ring does not contain two adjacent O or S(O)m atoms and that where the ring contains only N as heteroatom(s) the ring is C-linked to the quinazoline or quinoline ring; R3 = H, amino, halo, OH, NO2, CO2H, CHO, cyano, CF3, OCF3, carbamoyl, alkoxy carbonyl, Ph, PhO, pyridonyl, pyrrolidinyl, imidazolyl, dioxolanyl, arylsulfonyl, alkylsulfonyl, alkylcarbamoylalkyl, piperidinoalkoxy, thiomorpholino, etc.; 2 adjacent R3 = methylenedioxy, ethylenedioxy; p = 0-3], were prepd. Thus, (S)-1-[5-[4-(1-benzyl-1H-indazol-5-ylamino)quinazolin-6-yl]furan-2-ylmethyl]pyrrolidine-2-carboxylic acid amide dihydrochloride (prepn. given) inhibited BT474 human breast cancer cell proliferation with IC50 = 2 nM.

IT 202196-74-5P 202198-03-6P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of azolylquinazolines and related compds. as protein tyrosine kinase inhibitors)

L11 ANSWER 5 OF 5 HCAPLUS COPYRIGHT 2002 ACS
 ACCESSION NUMBER: 1996:476843 HCAPLUS
 DOCUMENT NUMBER: 125:142761
 TITLE: Quinazoline derivatives
 INVENTOR(S): Barker, Andrew John
 PATENT ASSIGNEE(S): Zeneca Limited, UK
 SOURCE: PCT Int. Appl., 45 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9616960	A1	19960606	WO 1995-GB2768	19951128
W: AL, AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK				
RW: KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
AU 9539330	A1	19960619	AU 1995-39330	19951128
EP 794953	A1	19970917	EP 1995-937126	19951128
EP 794953	B1	19990506		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE				
JP 10509972	T2	19980929	JP 1995-518417	19951128
AT 179708	E	19990515	AT 1995-937126	19951128
US 5955464	A	19990921	US 1997-860088	19970522
PRIORITY APPLN. INFO.:			GB 1994-24233	19941130
			WO 1995-GB2768	19951128
OTHER SOURCE(S):		MARPAT 125:142761		
GI				



AB The invention concerns quinazoline derivs. I (m = 1, 2; R1 = H, halo, alkyl, alkoxy; n = 1-3; R2 = H, OH, halo, alkyl; R = 5- or 9-membered nitrogen-linked heteroaryl moiety contg. up to four nitrogen heteroatoms,

or R = a 5-, 6-, 9- or 10-membered nitrogen-linked unsatd. heterocyclic moiety contg. up to three nitrogen heteroatoms which bears one or two substituents selected from oxo and thioxo) and the use of the receptor tyrosine kinase inhibitory properties of the compds. in the treatment of proliferative diseases such as cancer. Among the approx. 15 title compds. prepd., 4-(3-methylanilino)-, 4-(3-chloro-4-fluoroanilino)-, 4-(4-benzoyl-3-chloroanilino)-, and 4-[3-methyl-4-(2-pyridylmethoxy)anilino]-6-(1-imidazolyl)quinazolines were claimed.

IT 179552-78-4P 179552-80-8P

RL: SPN (Synthetic preparation); PREP (Preparation)
(prepn. of tyrosine kinase inhibiting imidazolylquinazolines)

=> fil caold

FILE 'CAOLD' ENTERED AT 10:13:07 ON 04 SEP 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1907-1966

FILE LAST UPDATED: 01 May 1997 (19970501/UP)

This file contains CAS Registry Numbers for easy and accurate substance identification. Title keywords, authors, patent assignees, and patent information, e.g., patent numbers, are now searchable from 1907-1966. TIFF images of CA abstracts printed between 1907-1966 are available in the PAGE display formats.

This file supports REGISTRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

=> s 110

L12 0 L10

=> fil reg

FILE 'REGISTRY' ENTERED AT 10:13:20 ON 04 SEP 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 3 SEP 2002 HIGHEST RN 446233-03-0
DICTIONARY FILE UPDATES: 3 SEP 2002 HIGHEST RN 446233-03-0

TSKA INFORMATION NOW CURRENT THROUGH MAY 20, 2002

Please note that search-term pricing does apply when conducting SmartSELECT searches.


Crossover limits have been increased. See HELP CROSSOVER for details.

Calculated physical property data is now available. See HELP PROPERTIES for more information. See STNote 27, Searching Properties in the CAS

Registry File, for complete details:
<http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf>

=> d ide can 110 tot

L10 ANSWER 1 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383434-42-2 REGISTRY
CN 4-Quinazolinamine, N-[3-methyl-4-(5-pyrimidinyl)oxy]phenyl]-6-(3-piperidinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C26 H24 N6 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 2 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383434-34-2 REGISTRY
CN 4-Quinazolinamine, N-[3-methyl-4-[(2-methyl-5-pyrimidinyl)oxy]phenyl]-6-(4-piperidinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C27 H26 N6 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)

1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 3 OF 55 REGISTRY COPYRIGHT 2002 ACS

RN 383433-66-7 REGISTRY


CN 2-Oxazolidinone, 4-[[4-[[3-methyl-4-[(6-methyl-3-pyridinyl)oxy]phenyl]amino]-6-quinazolinyl]ethynyl]- (9CI) (CA INDEX NAME)

FS 3D CONCORD

MF C26 H21 N5 O3

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)

1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 4 OF 55 REGISTRY COPYRIGHT 2002 ACS

RN 383433-58-7 REGISTRY


CN 3-Morpholinone, 5-[[4-[[3-methyl-4-[(6-methyl-3-pyridinyl)oxy]phenyl]amino]-6-quinazolinyl]ethynyl]- (9CI) (CA INDEX NAME)

FS 3D CONCORD

MF C27 H23 N5 O3

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)

1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 5 OF 55 REGISTRY COPYRIGHT 2002 ACS

RN 383433-01-0 REGISTRY


CN 4-Quinazolinamine, N-[3-methyl-4-(3-pyridinyloxy)phenyl]-6-(3-pyrrolidinylolethynyl)- (9CI) (CA INDEX NAME)

FS 3D CONCORD

MF C26 H23 N5 O

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 6 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383433-00-9 REGISTRY
CN 4-Quinazolinamine, N-[3-methyl-4-(3-pyridinyloxy)phenyl]-6-[(3S)-3-piperidinyne-1-yl]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C27 H25 N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 7 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383432-99-3 REGISTRY
CN 4-Quinazolinamine, N-[3-methyl-4-(3-pyridinyloxy)phenyl]-6-[(3R)-3-piperidinylethynyl]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C27 H25 N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 8 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383432-96-0 REGISTRY
CN 1-Piperazineethanol, 4-[3-[4-[[3-methyl-4-(3-pyridinyloxy)phenyl]amino]-6-quinazolinyl]-2-propynyl]- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C29 H30 N6 O2
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 9 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383432-94-8 REGISTRY
CN 4-Quinazolinamine, 6-(3-azetidinyloxy)phenyl]-N-[3-methyl-4-(3-pyridinyloxy)phenyl]- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C25 H21 N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 10 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383432-93-7 REGISTRY
CN 4-Quinazolinamine, N-[3-methyl-4-(2-pyridinyloxy)phenyl]-6-(3-piperidinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C27 H25 N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 11 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383431-90-1 REGISTRY
CN 4-Quinazolinamine, 6-(3-piperidinylethynyl)-N-[4-(2-pyridinyloxy)phenyl]-
(9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C26 H23 N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 12 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383431-89-8 REGISTRY
CN 4-Quinazolinamine, 6-(4-piperidinylethynyl)-N-[4-(2-pyridinyloxy)phenyl]-
(9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C26 H23 N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 13 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383431-74-1 REGISTRY
CN 4-Quinazolinamine, N-[3-chloro-4-[(6-methyl-3-pyridinyl)oxy]phenyl]-6-(3-piperidinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C27 H24 Cl N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 14 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383431-73-0 REGISTRY
CN 4-Quinazolinamine, N-[3-chloro-4-[(6-methyl-3-pyridinyl)oxy]phenyl]-6-(4-piperidinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C27 H24 Cl N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 15 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383431-70-7 REGISTRY
CN 4-Quinazolinamine, N-[3-fluoro-4-[(2-methyl-3-pyridinyl)oxy]phenyl]-6-(4-piperidinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C27 H24 F N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)

1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 16 OF 55 REGISTRY COPYRIGHT 2002 ACS

RN 383431-68-3 REGISTRY


CN 4-Quinazolinamine, N-[3-fluoro-4-[(2-methyl-3-pyridinyl)oxy]phenyl]-6-(3-piperidinylethynyl)- (9CI) (CA INDEX NAME)

FS 3D CONCORD

MF C27 H24 F N5 O

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 17 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383431-63-8 REGISTRY
CN 4-Quinazolinamine, N-[4-[(2-chloro-3-pyridinyl)oxy]phenyl]-6-(3-piperidinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C26 H22 Cl N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 18 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383431-62-7 REGISTRY
CN 4-Quinazolinamine, N-[4-[(2-chloro-3-pyridinyl)oxy]phenyl]-6-(4-piperidinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C26 H22 Cl N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 19 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383431-50-3 REGISTRY
CN 4-Quinazolinamine, N-[3-ethynyl-4-(3-pyridinyloxy)phenyl]-6-(4-piperidinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C28 H23 N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 20 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383431-49-0 REGISTRY
CN 4-Quinazolinamine, N-[3-ethynyl-4-(3-pyridinyloxy)phenyl]-6-(3-piperidinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C28 H23 N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 21 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383431-40-1 REGISTRY
CN 4-Quinazolinamine, N-[4-[(2-methyl-3-pyridinyl)oxy]phenyl]-6-(3-piperidinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C27 H25 N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 22 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383431-39-8 REGISTRY
CN 4-Quinazolinamine, N-[4-[(2-methyl-3-pyridinyl)oxy]phenyl]-6-(4-piperidinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C27 H25 N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 23 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383431-34-3 REGISTRY
CN 4-Quinazolinamine, N-[3-methyl-4-(3-pyridinyloxy)phenyl]-6-[(1E)-3-(4-morpholinyl)-1-propenyl]- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C27 H27 N5 O2
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER

Double bond geometry as shown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 24 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383431-20-7 REGISTRY
CN 4-Quinazolinamine, N-[3-methyl-4-(4-pyridinyloxy)phenyl]-6-(4-piperidinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C27 H25 N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 25 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383431-19-4 REGISTRY
CN 4-Quinazolinamine, N-[3-methyl-4-(4-pyridinyloxy)phenyl]-6-(3-piperidinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C27 H25 N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 26 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383431-13-8 REGISTRY
CN 4-Quinazolinamine, N-[4-[(2-chloro-3-pyridinyl)oxy]-3-methylphenyl]-6-(4-piperidinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C27 H24 Cl N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 27 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383431-11-6 REGISTRY
CN 4-Quinazolinamine, N-[4-[(2-chloro-3-pyridinyl)oxy]-3-methylphenyl]-6-(3-piperidinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C27 H24 Cl N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 28 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383431-08-1 REGISTRY
CN 4-Quinazolinamine, N-[3-methyl-4-[(6-methyl-3-pyridinyl)oxy]phenyl]-6-(4-piperidinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C28 H27 N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 29 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383431-07-0 REGISTRY
CN 4-Quinazolinamine, N-[3-methyl-4-[(6-methyl-3-pyridinyl)oxy]phenyl]-6-(3-piperidinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C28 H27 N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)

1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 30 OF 55 REGISTRY COPYRIGHT 2002 ACS

RN 383431-06-9 REGISTRY


CN 4-Piperidinol, 1-methyl-4-[[4-[[3-methyl-4-(3-pyridinyloxy)phenyl]amino]-6-quinazolinyl]ethynyl]- (9CI) (CA INDEX NAME)

FS 3D CONCORD

MF C28 H27 N5 O2

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)

1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 31 OF 55 REGISTRY COPYRIGHT 2002 ACS

RN 383431-05-8 REGISTRY


CN 4-Piperidinol, 4-[[4-[[3-methyl-4-(3-pyridinyloxy)phenyl]amino]-6-quinazolinyl]ethynyl]- (9CI) (CA INDEX NAME)

FS 3D CONCORD

MF C27 H25 N5 O2

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)

1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 32 OF 55 REGISTRY COPYRIGHT 2002 ACS

RN 383431-03-6 REGISTRY


CN 2-Oxazolidinone, 4,4-dimethyl-5-[[4-[[3-methyl-4-(3-pyridinyloxy)phenyl]amino]-6-quinazolinyl]ethynyl]- (9CI) (CA INDEX NAME)

FS 3D CONCORD

MF C27 H23 N5 O3

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 33 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383430-98-6 REGISTRY
CN 4-Quinazolinamine, N-[3-methyl-4-[(2-methyl-3-pyridinyl)oxy]phenyl]-6-(4-piperidinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C28 H27 N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 34 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383430-97-5 REGISTRY
CN 4-Quinazolinamine, N-[3-methyl-4-[(2-methyl-3-pyridinyl)oxy]phenyl]-6-(3-piperidinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C28 H27 N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 35 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383430-92-0 REGISTRY
CN 4-Quinazolinamine, N-[3-methyl-4-(2-pyridinyloxy)phenyl]-6-(4-piperidinyne-1-yl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C27 H25 N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 36 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383430-88-4 REGISTRY
CN 4-Quinazolinamine, 6-(4-piperidinylethynyl)-N-[4-(3-pyridinyloxy)phenyl]-
(9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C26 H23 N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)

1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 37 OF 55 REGISTRY COPYRIGHT 2002 ACS

RN 383430-87-3 REGISTRY


CN 4-Quinazolinamine, N-[3-fluoro-4-(3-pyridinyloxy)phenyl]-6-(4-piperidinylethynyl)- (9CI) (CA INDEX NAME)

FS 3D CONCORD

MF C26 H22 F N5 O

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 38 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383430-86-2 REGISTRY
CN 4-Quinazolinamine, N-[3-chloro-4-(3-pyridinyloxy)phenyl]-6-(4-piperidinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C26 H22 Cl N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 39 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383430-84-0 REGISTRY
CN 4-Quinazolinamine, N-[3-methoxy-4-(3-pyridinyloxy)phenyl]-6-(4-piperidinyne-1-ylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C27 H25 N5 O2
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 40 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383430-83-9 REGISTRY
CN 4-Quinazolinamine, 6-(3-piperidinylethynyl)-N-[4-(3-pyridinyloxy)phenyl]-
(9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C26 H23 N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 41 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383430-80-6 REGISTRY
CN 4-Quinazolinamine, N-[3-methoxy-4-(3-pyridinyloxy)phenyl]-6-(3-piperidinyne-1-yl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C27 H25 N5 O2
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 42 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383430-65-7 REGISTRY
CN 4-Quinazolinamine, N-[3-methyl-4-(3-pyridinyloxy)phenyl]-6-(2-morpholinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C26 H23 N5 O2
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 43 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383430-62-4 REGISTRY
CN 3-Piperidinol, 3-[[4-[[3-methyl-4-(3-pyridinyloxy)phenyl]amino]-6-quinazolinyl]ethynyl]- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C27 H25 N5 O2
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 44 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383430-55-5 REGISTRY
CN 4-Quinazolinamine, N-[3-methyl-4-(3-pyridinyloxy)phenyl]-6-(3-piperidinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C27 H25 N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 45 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383430-51-1 REGISTRY
CN 4-Quinazolinamine, N-[3-methyl-4-(3-pyridinyloxy)phenyl]-6-[3-(4-morpholinyl)-1-propenyl]- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C27 H27 N5 O2
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 46 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 383430-46-4 REGISTRY
CN 4-Quinazolinamine, N-[3-methyl-4-(3-pyridinyloxy)phenyl]-6-(4-piperidinylethynyl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C27 H25 N5 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 136:69816

L10 ANSWER 47 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 289037-47-4 REGISTRY
CN 3-Azabicyclo[3.1.0]hexane-6-methanol, 3-[[5-[4-[[3-methyl-4-(2-pyridinylmethoxy)phenyl]amino]-6-quinazolinyl]-2-pyridinyl]methyl]- (9CI)
(CA INDEX NAME)
FS 3D CONCORD
MF C33 H32 N6 O2
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 133:193157

L10 ANSWER 48 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 289037-37-2 REGISTRY
CN 3-Azabicyclo[3.1.0]hexane-6-methanol, 3-[[4-[4-[[3-methyl-4-(2-pyridinylmethoxy)phenyl]amino]-6-quinazolinyl]phenyl]methyl]- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C34 H33 N5 O2
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 133:193157

L10 ANSWER 49 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 287190-12-9 REGISTRY
CN 3-Piperidinol, 3-[[4-[[[3-chloro-4-(2-pyridinylmethoxy)phenyl]amino]-6-quinazolinyl]ethynyl]- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C27 H24 Cl N5 O2
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 133:150572

L10 ANSWER 50 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 287189-96-2 REGISTRY
CN 3-Piperidinol, 3-[[4-[[3-methyl-4-(2-pyridinylmethoxy)phenyl]amino]-6-quinazolinyl]ethynyl]- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C28 H27 N5 O2
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 133:150572

L10 ANSWER 51 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 287189-48-4 REGISTRY
CN 4-Piperidinol, 1-methyl-4-[[4-[[3-methyl-4-(2-
pyridinylmethoxy)phenyl]amino]-6-quinazolinyl]ethynyl]- (9CI) (CA INDEX
NAME)
FS 3D CONCORD
MF C29 H29 N5 O2
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 133:150572


L10 ANSWER 52 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 202198-03-6 REGISTRY
CN 4-Quinazolinamine, N-[4-(3-pyridinylmethoxy)phenyl]-6-[5-(trifluoromethyl)-
1,3,4-oxadiazol-2-yl]-, monohydrochloride (9CI) (CA INDEX NAME)
MF C23 H15 F3 N6 O2 . Cl H
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
CRN (202196-74-5)



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 128:140716

L10 ANSWER 53 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 202196-74-5 REGISTRY
CN 4-Quinazolinamine, N-[4-(3-pyridinylmethoxy)phenyl]-6-[5-(trifluoromethyl)-1,3,4-oxadiazol-2-yl]- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C23 H15 F3 N6 O2
CI COM
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 128:140716

L10 ANSWER 54 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 179552-80-8 REGISTRY
CN 4-Quinazolinamine, 6-(1H-imidazol-1-yl)-N-[3-methyl-4-(2-pyridinylmethoxy)phenyl]- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C24 H20 N6 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 125:142761

L10 ANSWER 55 OF 55 REGISTRY COPYRIGHT 2002 ACS
RN 179552-78-4 REGISTRY
CN 4-Quinazolinamine, N-[2-fluoro-4-(2-pyridinylmethoxy)phenyl]-6-(1H-imidazol-1-yl)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C23 H17 F N6 O
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1967 TO DATE)

1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 125:142761